
IDENTIFICATION SPECIFICATION SHEET

Stainless Steel Valve Tags

These tags are made from high quality Type 316 stainless steel which is deburred and polished for a professional and durable finish. Laser etching provides a highly detailed and lasting image for text, bar codes and QR codes.



Tag Sizes	Top Line	Middle Line	Bottom Line	
1-1/2" Round	1/4" (5 Characters)	N/A	1/2" (3 Characters)	
1-1/2" Square	1/4" (5 Characters)	N/A	1/2" (3 Characters)	
2" Round	1/4" (6 Characters)	1/4" (8 Characters)	1/2" (4 Characters)	
2" Square 1/4" (6 Characters)		1/4" (8 Characters)	1/2" (4 Characters)	
2" Octagon	1/4" (6 Characters)	1/4" (8 Characters)	1/2" (4 Characters)	

Accessories		
	No. 6 Brass Beaded Chain	
	No. 16 Brass Jack Chain	
	Brass S Hooks	
	Zinc Hooks	
Nylon Ties		

Codes				
	Barcode			
	QR Code			

Standards Met	ANSI/ASME A13.1-2015 Standards		
Installation Instructions	Instructions Hang from valve stem or valve handle		
Temperature Resistance	Up to 2700°F (1482°C)		
Water Resistance	esistance Excellent		
Finish	Brush natural stainless steel		
Material Properties	l Properties 22 Gauge (.030in/0.762mm thick) 316 stainless steel		
Material Options	Options Other grades and finished of stainless steel available		
Text	Laser etched dark grey to black finish		
Storage Stability	ility Indefinite		
Outdoor Durability	ility Excellent		
Chemical Resistance	Resistance Excellent		
Hole	3/16" Top Hole		
Equivalent To	Marking Services Inc. Stainless Steel Tags, Seton Stainless Steel Valve tags, Brimar Stainless Steel Valve tags, Brady Stainless Steel Valve Tags		

DATE	ММ	DD	/	JOB	
CONTRA	ACTOR NAME .				